Vol. 36
Index

2003

Index of Authors

Adamitsch, B.F., Karner, F. & Hampel, W. Proteolytic activity of a yeast cell wall lytic *Arthrobacter* species, 227
Adams, M.C. *see* Huang, Y.
Al-Adham, I.S.I., Al-Hmoud, N.D., Khalil, E., Kierans, M. & Collier, P.J. Microemulsions are highly effective anti-biofilm agents, 97
Alberto, F., Broussolle, V., Mason, D.R., Carlin, F. & Peck, M.W. Variability in spore germination response by strains of proteolytic *Clostridium botulinum* types A, B and F, 41
Al-Hmoud, N.D. *see* Al-Adham, I.S.I.
Ali, S. *see* Haq, I.U.
Alonso, R. *see* Martínez, E.
Aranda, C. *see* Godoy, F.A.
Arola, L. *see* Rozès, N.
Austin, B. *see* Neamatallah, A.A.N.

Bachrach, G., Leizerovici-Zigmond, M., Zlotkin, A., Naor, R. & Steinberg, D. Bacteriophage isolation from human saliva, 50
Baik, H.S. *see* Lee, S.Y.
Baldani, J.I. *see* Marin, V.A.
Bano, N. & Musarrat, J. Isolation and characterization of phorate degrading soil bacteria of environmental and agronomic significance, 349
Barroso, J.G. *see* Faleiro, M.L.
Bartowsky, E.J., Xia, D., Gibson, R.L., Fleet, G.H. & Henschke, P.A. Spoilage of bottled red wine by acetic acid bacteria, 307
Båtsman, A. *see* Ouwehand, A.C.
Bell, R.G. *see* Boerema, J.A.
Beneduce, L. *see* Spano, G.
Bernard, F. *see* Jacques, P.
Betts, W.B. *see* Grant, R.J.
Bizet, C. *see* Parthuisot, N.
Boerema, J.A., Broda, D.M. & Bell, R.G. Abattoir sources of psychrophilic clostridia causing blown pack spoilage of vacuum-packed chilled meats determined by culture-based and molecular detection procedures, 406
Bolton, F.J. *see* Wareing, D.R.A.
Bordons, A. *see* Rozès, N.
Bright, K. *see* Rusin, P.
Brigmon, R.L., Furlong, M. & Whitman, W.B. Identification of *Thiothrix unzii* in two distinct ecosystems, 88
Brillet, A. *see* Richard, C.
Brito, J.C. *see* Faleiro, M.L.
Broda, D.M. *see* Boerema, J.A.
Broussolle, V. *see* Alberto, F.
Budzikiewicz, H. *see* Jacques, P.
Bunster, M. *see* Godoy, F.A.
Burt, S.A. & Reinders, R.D. Antibacterial activity of selected plant essential oils against *Escherichia coli* O157:H7, 162
Burton, J.P., McCormick, J.K., Cadieux, P.A. & Reid, G. Digoxigenin-labelled peptide nucleic acid to detect lactobacilli PCR amplicons immobilized on membranes from denaturing gradient gel electrophoresis, 145
Burysek, L. *see* Smola, S.F.

Cadieux, P.A. *see* Burton, J.P.
Cai, B., Han, Y., Liu, B., Ren, Y. & Jiang, S. Isolation and characterization of an atrazine-degrading bacterium from industrial wastewater in China, 272
Canal, C.W. *see* Oliveira, S.D.
Carlin, F. *see* Alberto, F.
Carmelo, E. *see* Martínez, E.
Carroll, C. *see* Fallon, R.
Catala, P. *see* Parthuisot, N.
Cé, M.C. *see* Oliveira, S.D.
Cellini, L., Di Campli, E., Di Candia, M. & Marzio, L. Molecular fingerprinting of *Helicobacter pylori* strains from duodenal ulcer patients, 222
Chandrapati, S. & Woodson, L.P. Inducible β-glucosidase synthesis during germination and outgrowth of *Bacillus subtilis* ATCC 9372 spores, 15
Chang, C.W. *see* Wang, P.H.
Chhatpar, H.S. *see* Vaidya, R.J.
Cho, H.S. *see* Lee, S.Y.
Cho, K.Y. *see* Lee, H.B.
Choi, J.W. *see* Kim, S.W.
Choi, J.W. *see* Lee, S.Y.
Chung, C.Y. *see* Wang, P.H.
Clermont, D. *see* Parthuisot, N.
Coates, D. *see* Levi, K.
Colles, F.M. *see* Wareing, D.R.A.
Collier, P.J. *see* Al-Adham, I.S.I.
Condón, S. *see* García, D.
Corrieu, G. *see* Monnet, C.
Costello, M. *see* Kang, D.H.
Cullor, J.S. *see* Smith, W.L.

del Castillo, A. *see* Martínez, E.
Dewar, S.J. *see* Neamatallah, A.A.N.
Dhawan, S., Lal, R. & Kuhad, R.C. Ethidium bromide stimulated hyper laccase production from bird's nest fungus *Cyathus bulleri*, 64
Dhillon, N.K., Sharma, S. & Khuller, G.K. Influence of W-7, a calmodulin antagonist on phospholipid biosynthesis in *Candida albicans*, 382
Di Campli, E. *see* Cellini, L.
Di Candia, M. *see* Cellini, L.

Díaz, A., Sieiro, C. & Villa, T.G. Production and partial characterization of a β-amylase by *Xanthophyllomyces dendrorhous*, 203
Dileep, V., Kumar, H.S., Kumar, Y., Nishibuchi, M., Karunasagar, I. & Karunasagar, I. Application of polymerase chain reaction for detection of *Vibrio parahaemolyticus* associated with tropical seafoods and coastal environment, 423
Dingle, K.E. *see* Wareing, D.R.A.
Dong, Z.Y. *see* Liu, L.
Dooley, J.S.G. *see* Watabe, M.
Doré, W.J., Mackie, M. & Lees, D.N. Levels of male-specific RNA bacteriophage and *Escherichia coli* in molluscan bivalve shellfish from commercial harvesting areas, 92
Drider, D. *see* Richard, C.
Dupuy, A. *see* Spano, G.

Edwards-Jones, V. *see* Javid Khojasteh, V.

Faleiro, M.L., Miguel, M.G., Ladeiro, F., Venâncio, F., Tavares, R., Brito, J.C., Figueiredo, A.C., Barroso, J.G. & Pedro, L.G. Antimicrobial activity of essential oils isolated from Portuguese endemic species of *Thymus*, 35
Fallon, R., O'Sullivan, N., Maher, M. & Carroll, C. Antimicrobial resistance of *Campylobacter jejuni* and *Campylobacter coli* isolates from broiler chickens isolated at an Irish poultry processing plant, 277
Fedorka-Cray, P.J. *see* Hudson, C.R.
Figueiredo, A.C. *see* Faleiro, M.L.
Fleet, G.H. *see* Bartowsky, E.J.
Fosse, T., Giraud-Morin, C. & Madinier, I. Induced colistin resistance as an identifying marker for *Aeromonas* phenospecies groups, 25
Foster, H.A. *see* Javid Khojasteh, V.
Fox, A.J. *see* Wareing, D.R.A.
Fuchs, R. *see* Jacques, P.
Furlong, M. *see* Brigmon, R.L.

Gabs, S. & Josephsen, J. Improvement of phage defence in *Lactococcus lactis* by introduction of the plasmid encoded restriction and modification system *Lla*AI, 332
Ganucci, D. *see* Granchi, L.
García, D., Gómez, N., Condón, S., Raso, J. & Pagán, R. Pulsed electric fields cause sublethal injury in *Escherichia coli*, 140
Gerba, C. *see* Rusin, P.
Gibson, R.L. *see* Bartowsky, E.J.
Giovannetti, L. *see* Granchi, L.
Giraud-Morin, C. *see* Fosse, T.
Godoy, F.A., Bunster, M., Matus, V., Aranda, C., González, B. & Martínez, M.A. Poly-β-hydroxyalkanoates consumption during degradation of 2,4,6-trichlorophenol by *Sphingopyxis chilensis* S37, 315
Goffredo, E. *see* Spano, G.
Gómez, N. *see* García, D.
González, B. *see* Godoy, F.A.
Granchi, L., Ganucci, D., Viti, C., Giovannetti, L. & Vincenzini, M. *Saccharomyces cerevisiae* biodiversity in spontaneous commercial fermentations of grape musts with 'adequate' and 'inadequate' assimilable-nitrogen content, 54
Grant, R.J. & Betts, W.B. Biodegradation of the synthetic pyrethroid cypermethrin in used sheep dip, 173
Gulea, M. *see* Monnet, C.

Hamid, M., Siddiqui, I.A. & Shahid Shaukat, S. Improvement of *Pseudomonas fluorescens* CHA0 biocontrol activity against root-knot nematode by the addition of ammonium molybdate, 239
Hamlyn, P.F. *see* Levi, K.
Hampel, W. *see* Adamitsch, B.F.
Han, Y. *see* Cai, B.
Haq, I.U., Ali, S. & Iqbal, J. Effect of volume of culture medium on enhanced citric acid productivity by a mutant culture of *Aspergillus niger* in stirred fermentor, 302
Hattori, K. *see* Kuroiwa, K.
Henschke, P.A. *see* Bartowsky, E.J.
Higham, J.L. *see* Levi, K.
Hillman, K. *see* Kajikawa, H.
Hiott, L.M. *see* Hudson, C.R.
Hobbs, G. *see* Hoskisson, P.A.
Hodgson, C.J., Perkins, J. & Labadz, J.C. Evaluation of biotracers to monitor effluent retention time in constructed wetlands, 362
Hols, P. *see* Monnet, C.
Hong, K.-S. *see* Lee, H.B.
Hoskisson, P.A., Sharples, G.P. & Hobbs, G. The importance of amino acids as carbon sources for *Micromonospora echinospora* (ATCC 15837) , 268
Huang, Y. & Adams, M.C. An *in vitro* model for investigating intestinal adhesion of potential dairy propionibacteria probiotic strains using cell line C2BBe1, 213
Hudson, C.R., Fedorka-Cray, P.J., Jackson-Hall, M.C. & Hiott, L.M. Anomalies in species identification of enterococci from veterinary sources using a commercial biochemical identification system, 245
Hwang, H.J. *see* Kim, S.W.

Iqbal, J. *see* Haq, I.U.
Isogai, E. *see* Tana,
Ivanov, V. *see* Tay, J.-H.

Jackson, S. *see* Waite, R.
Jackson-Hall, M.C. *see* Hudson, C.R.
Jacques, P., Ongena, M., Bernard, F., Fuchs, R., Budzikiewicz, H. & Thonart, P. Fluorescent *Pseudomonas* mainly produce the dihydroform of pyoverdine at low specific growth rate, 259
Jamie Newbold, C. *see* Kajikawa, H.
Javid Khojasteh, V., Rogan, M.T., Edwards-Jones, V. & Foster, H.A. Detection of antibodies to *Staphylococcus aureus* Toxic Shock Syndrome Toxin-1 using a competitive agglutination inhibition assay, 372
Jeleń, H.H. Use of solid phase microextraction (SPME) for profiling fungal volatile metabolites, 263
Jensen, N. & Whitfield, F.B. Role of *Alicyclobacillus acidoterrestris* in the development of a disinfectant taint in shelf-stable fruit juice, 9
Jiang, H.-L. *see* Tay, J.-H.
Jiang, S. *see* Cai, B.
Josephsen, J. *see* Gabs, S.

Kajikawa, H., Valdes, C., Hillman, K., Wallace, R.J. & Jamie Newbold, C. Methane oxidation and its coupled electron-sink reactions in ruminal fluid, 354
Kamra, D.N. *see* Paul, S.S.
Kang, C.-A. *see* Shin, S.
Kang, D.H., Rhee, M.S. & Costello, M. Development of a miniaturized four-culture method for the rapid enumeration of four bacterial groups in ground beef, 197
Kang, Y. *see* Xian, M.
Karner, F. *see* Adamitsch, B.F.
Karunasagar Indrani, *see* Dileep, V.
Karunasagar Iddya, *see* Dileep, V.
Kato, M. *see* Rao, U.
Khalil, E. *see* Al-Adham, I.S.I.
Khuller, G.K. *see* Dhillon, N.K.
Kierans, M. *see* Al-Adham, I.S.I.
Kim, C.-J. *see* Lee, H.B.
Kim, C.-K. *see* Kim, J.Y.
Kim, J.-S. *see* Lee, H.B.
Kim, J.Y., Lee, K., Kim, Y., Kim, C.-K. & Lee, K. Production of dyestuffs from indole derivatives by naphthalene dioxygenase and toluene dioxygenase, 343
Kim, S.W., Hwang, H.J., Xu, C.P., Choi, J.W. & Yun, J.W. Effect of aeration and agitation on the production of mycelial biomass and exopolysaccharides in an enthomopathogenic fungus *Paecilomyces sinclairii*, 321
Kim, W. *see* Lee, W.G.
Kim, Y. *see* Kim, J.Y.
Kobayashi, T. *see* Rao, U.
Korai, H. *see* Kuroiwa, K.
Krumholz, L.R. *see* Zhuang, W.-Q.
Kuhad, R.C. *see* Dhawan, S.
Kumar, A. *see* Paul, S.S.
Kumar, H.S. *see* Dileep, V.
Kumar, Y. *see* Dileep, V.
Kuroiwa, K., Nakayama, H., Kuwahara, T., Tamagawa, K., Hattori, K., Murakami, K., Korai, H. & Ohnishi, Y. Augmenting effect of acetic acid for acidification on bactericidal activity of hypochlorite solution, 46
Kuwahara, T. *see* Kuroiwa, K.

Labadz, J.C. *see* Hodgson, C.J.
Ladeiro, F. *see* Faleiro, M.L.
Lal, R. *see* Dhawan, S.
Lebaron, P. *see* Parthuisot, N.
Lee, H.B., Kim, C.-J., Kim, J.-S., Hong, K.-S. & Cho, K.Y. A bleaching herbicidal activity of methoxyhygromycin (MHM) produced by an actinomycete strain *Streptomyces* sp. 8E-12, 387
Lee, K. *see* Kim, J.Y.
Lee, S.Y., Park, Y.C., Cho, H.S., Ra, K.S., Baik, H.S., Paik, S.-Y., Yun, J.W., Park, H.S. & Choi, J.W. Expression of an artificial polypeptide with a repeated tripeptide glutamyl–tryptophanyl–lysine in *Saccharomyces cerevisiae*, 121
Lee, W.G. & Kim, W. Identification of a novel insertion sequence in *vanB2*-containing *Enterococcus faecium*, 186
Lees, D.N. *see* Doré, W.J.
Leizerovici-Zigmond, M. *see* Bachrach, G.
Levi, K., Higham, J.L., Coates, D. & Hamlyn, P.F. Molecular detection of anthrax spores on animal fibres, 418
Liao, C.-H. & Shollenberger, L.M. Detection of *Salmonella* by indicator agar media and PCR as affected by alfalfa seed homogenates and native bacteria, 152
Lin, Y.S. *see* Wang, P.H.
Liu, B. *see* Cai, B.
Liu, G. *see* Xu, J.
Liu, J. *see* Liu, L.
Liu, J. *see* Xian, M.
Liu, L., Liu, J., Qiu, R.X., Zhu, X.G., Dong, Z.Y. & Tang, G.M. Improving heterologous gene expression in *Aspergillus niger* by introducing multiple copies of protein-binding sequence containing CCAAT to the promoter, 358
Liu, Q.-S. *see* Tay, J.-H.
Lowery, C.J. *see* Watabe, M.

McCormick, J.K. *see* Burton, J.P.
McGarvey, K.L. *see* Smith, W.L.
Machuca, A. & Milagres, A.M.F. Use of CAS-agar plate modified to study the effect of different variables on the siderophore production by *Aspergillus*, 177
Mackie, M. *see* Doré, W.J.
Macmil, S.L.A. *see* Vaidya, R.J.
Madinier, I. *see* Fosse, T.
Maher, M. *see* Fallon, R.
Maiden, M.C.J. *see* Wareing, D.R.A.
Marin, V.A., Teixeira, K.R.S. & Baldani, J.I. Characterization of amplified polymerase chain reaction *glnB* and *nifH* gene fragments of nitrogen-fixing *Burkholderia* species, 77
Martínez, E., Carmelo, E., Alonso, R., Ortega, A., Piñero, J., del Castillo, A. & Valladares, B. Development of a rapid polymerase chain reaction-ELISA assay using polystyrene beads for the detection of *Toxoplasma gondii* DNA, 30
Martínez, M.A. *see* Godoy, F.A.
Marzio, L. *see* Cellini, L.
Mason, D.R. *see* Alberto, F.
Massa, S. *see* Spano, G.
Maszenan, A.M. *see* Zhuang, W.-Q.
Matus, V. *see* Godoy, F.A.
Meng, Q. *see* Xian, M.
Miguel, M.G. *see* Faleiro, M.L.
Milagres, A.M.F. *see* Machuca, A.
Millar, B.C. *see* Watabe, M.
Monnet, C., Nardi, M., Hols, P., Gulea, M., Corrieu, G. & Monnet, V. Regulation of branched-chain amino acid biosynthesis by α-acetolactate decarboxylase in *Streptococcus thermophilus*, 399
Monnet, V. *see* Monnet, C.
Moore, J.E. *see* Watabe, M.
Murakami, K. *see* Kuroiwa, K.
Musarrat, J. *see* Bano, N.

Nakayama, H. *see* Kuroiwa, K.
Naor, R. *see* Bachrach, G.
Nardi, M. *see* Monnet, C.
Neamatallah, A.A.N., Dewar, S.J. & Austin, B. An improved selective isolation medium for the recovery of *Listeria monocytogenes* from smoked fish, 230
Nie, J. *see* Xian, M.
Nishibuchi, M. *see* Dileep, V.

Oguma, K. *see* Tana,
Ohnishi, Y. *see* Kuroiwa, K.
Oliveira, S.D., Rodenbusch, C.R., Cé, M.C., Rocha, S.L.S. & Canal, C.W. Evaluation of selective and non-selective enrichment PCR procedures for *Salmonella* detection, 217
Oliver, J.D. *see* Pfeffer, C.
Ongena, M. *see* Jacques, P.
Ortega, A. *see* Martínez, E.
O'Sullivan, N. *see* Fallon, R.
Ottosson, J. & Stenström, T.A. Growth and reduction of microorganisms in sediments collected from a greywater treatment system, 168
Ouwehand, A.C., Båtsman, A. & Salminen, S. Probiotics for the skin: a new area of potential application? , 327

Pagán, R. *see* García, D.
Paik, S.-Y. *see* Lee, S.Y.
Pan, S. *see* Tay, J.-H.
Park, H.D. *see* Yun, U.J.
Park, H.S. *see* Lee, S.Y.
Park, Y.C. *see* Lee, S.Y.
Parthuisot, N., Catala, P., Lebaron, P., Clermont, D. & Bizet, C. A sensitive and rapid method to determine the viability of freeze-dried bacterial cells, 412
Paul, S.S., Kamra, D.N., Sastry, V.R.B., Sahu, N.P. & Kumar, A. Effect of phenolic monomers on biomass and hydrolytic enzyme activities of an anaerobic fungus isolated from wild nil gai (*Baselophus tragocamelus*), 377
Peck, M.W. *see* Alberto, F.
Pedro, L.G. *see* Faleiro, M.L.
Perkins, J. *see* Hodgson, C.J.
Pfeffer, C. & Oliver, J.D. A comparison of thiosulphate-citrate-bile salts-sucrose (TCBS) agar and thiosulphate-chloride-iodide (TCI) agar for the isolation of *Vibrio* species from estuarine environments , 150
Pilet, M.F. *see* Richard, C.
Piñero, J. *see* Martínez, E.
Prévost, H. *see* Richard, C.

Qiu, R.X. *see* Liu, L.

Ra, K.S. *see* Lee, S.Y.
Ramasamy, P. *see* Vaseeharan, B.
Rao, J.R. *see* Watabe, M.
Rao, U., Kato, M., Kobayashi, T. & Tsukagoshi, N. Characterization of AnRP-mediated negative regulation of the xylanase gene, *cgxA*, from *Chaetomium gracile* in *Aspergillus nidulans*, 59
Raso, J. *see* García, D.
Reid, G. *see* Burton, J.P.
Reinders, R.D. *see* Burt, S.A.
Ren, Y. *see* Cai, B.
Rettenberger, G. *see* Smola, S.F.
Rhee, M.S. *see* Kang, D.H.

Richard, C., Brillet, A., Pilet, M.F., Prévost, H. & Drider, D. Evidence on inhibition of *Listeria monocytogenes* by divercin V41 action, 288
Rocha, S.L.S. *see* Oliveira, S.D.
Rodenbusch, C.R. *see* Oliveira, S.D.
Rogan, M.T. *see* Javid Khojasteh, V.
Rozès, N., Arola, L. & Bordons, A. Effect of phenolic compounds on the co-metabolism of citric acid and sugars by *Oenococcus oeni* from wine, 337
Rusin, P., Bright, K. & Gerba, C. Rapid reduction of *Legionella pneumophila* on stainless steel with zeolite coatings containing silver and zinc ions, 69

Sahu, N.P. *see* Paul, S.S.
Salminen, S. *see* Ouwehand, A.C.
Sastry, V.R.B. *see* Paul, S.S.
Satyanarayana, T. *see* Uma Maheswar Rao, J.L.
Shahid Shaukat, S. *see* Hamid, M.
Sharma, S. *see* Dhillon, N.K.
Sharples, G.P. *see* Hoskisson, P.A.
Shaukat, S.S. & Siddiqui, I.A. The influence of mineral and carbon sources on biological control of charcoal rot fungus, *Macrophomina phaseolina* by fluorescent pseudomonads in tomato, 392
Shin, S. & Kang, C.-A. Antifungal activity of the essential oil of *Agastache rugosa* Kuntze and its synergism with ketoconazole, 111
Shollenberger, L.M. *see* Liao, C.-H.
Siddiqui, I.A. *see* Hamid, M.
Siddiqui, I.A. *see* Shaukat, S.S.
Sieiro, C. *see* Díaz, A.
Simmet, Th. *see* Smola, S.F.
Smith, W.L., McGarvey, K.L. & Cullor, J.S. The use of spiral plating and microscopic colony counting for the rapid quantitation of *Mycobacterium paratuberculosis*, 293
Smola, S.F., Rettenberger, G., Simmet, Th. & Burysek, L. Comparison of sample collection methods for the PCR detection of oral anaerobic pathogens, 101
Spano, G., Goffredo, E., Beneduce, L., Tarantino, D., Dupuy, A. & Massa, S. Fate of *Escherichia coli* O157:H7 during the manufacture of Mozzarella cheese, 73
Steinberg, D. *see* Bachrach, G.
Stenström, T.A. *see* Ottosson, J.
Stewart, T.A. *see* Watabe, M.

Tamagawa, K. *see* Kuroiwa, K.
Tan, H. *see* Xu, J.
Tana, , Watarai, S., Isogai, E. & Oguma, K. Induction of intestinal IgA and IgG antibodies preventing adhesion of verotoxin-producing *Escherichia coli* to Caco-2 cells by oral immunization with liposomes *Tana*,, 135
Tang, G.M. *see* Liu, L.
Tarantino, D. *see* Spano, G.
Tavares, R. *see* Faleiro, M.L.
Tay, J.-H., Tay, S.T.-L., Ivanov, V., Pan, S., Jiang, H.-L. & Liu, Q.-S. Biomass and porosity profiles in microbial granules used for aerobic wastewater treatment, 297
Tay, J.-H. *see* Zhuang, W.-Q.
Tay, S.T.-L. *see* Tay, J.-H.
Tay, S.T.-L. *see* Zhuang, W.-Q.
Teixeira, K.R.S. *see* Marin, V.A.
Thompson, H. *see* Waite, R.
Thonart, P. *see* Jacques, P.
Tsukagoshi, N. *see* Rao, U.

Uma Maheswar Rao, J.L. & Satyanarayana, T. Enhanced secretion and low temperature stabilization of a hyperthermostable and Ca^{2+}-independent α-amylase of *Geobacillus thermoleovorans* by surfactants, 191
Ure, R. *see* Wareing, D.R.A.

Vaidya, R.J., Macmil, S.L.A., Vyas, P.R. & Chhatpar, H.S. The novel method for isolating chitinolytic bacteria and its application in screening for hyperchitinase producing mutant of *Alcaligenes xylosoxydans*, 129
Valdes, C. *see* Kajikawa, H.
Valladares, B. *see* Martínez, E.
Vaseeharan, B. & Ramasamy, P. Control of pathogenic *Vibrio* spp. by *Bacillus subtilis* BT23, a possible probiotic treatment for black tiger shrimp *Penaeus monodon*, 83
Venâncio, F. *see* Faleiro, M.L.
Villa, T.G. *see* Díaz, A.
Vincenzini, M. *see* Granchi, L.
Viti, C. *see* Granchi, L.
Vyas, P.R. *see* Vaidya, R.J.

Waite, R., Jackson, S. & Thompson, H. Preliminary investigations into possible resistance to oxytetracycline in *Melissococcus plutonius*, a pathogen of honeybee larvae, 20
Wallace, R.J. *see* Kajikawa, H.
Wang, P.H. & Chang, C.W. Detection of the low-germination-rate resting oospores of *Pythium myriotylum* from soil by PCR, 157
Wang, P.H., Chung, C.Y., Lin, Y.S. & Yeh, Y. Use of polymerase chain reaction to detect the soft rot pathogen, *Pythium myriotylum*, in infected ginger rhizomes, 116
Wareing, D.R.A., Ure, R., Colles, F.M., Bolton, F.J., Fox, A.J., Maiden, M.C.J. & Dingle, K.E. Reference isolates for the clonal complexes of *Campylobacter jejuni*, 106

Watabe, M., Rao, J.R., Stewart, T.A., Xu, J., Millar, B.C., Xiao, L., Lowery, C.J., Dooley, J.S.G. & Moore, J.E. Prevalence of bacterial faecal pathogens in separated and unseparated stored pig slurry, 208
Watarai, S. *see* Tana
Whitfield, F.B. *see* Jensen, N.
Whitman, W.B. *see* Brigmon, R.L.
Woodson, L.P. *see* Chandrapati, S.

Xia, D. *see* Bartowsky, E.J.
Xian, M., Nie, J., Meng, Q., Liu, J., Zhou, C., Kang, Y. & Zhen, K. Production of γ-linolenic acid by disrupted mycelia of *Mortierella isabellina*, 182
Xiao, L. *see* Watabe, M.
Xu, C.P. *see* Kim, S.W.
Xu, J., Liu, G. & Tan, H. *sanC* – a novel gene involved in nikkomycin biosynthesis in *Streptomyces ansochromogenes*, 234
Xu, J. *see* Watabe, M.

Yeh, Y. *see* Wang, P.H.
Yun, J.W. *see* Kim, S.W.
Yun, J.W. *see* Lee, S.Y.
Yun, U.J. & Park, H.D. Physical properties of an extracellular polysaccharide produced by *Bacillus* sp. CP912, 282

Zhen, K. *see* Xian, M.
Zhou, C. *see* Xian, M.
Zhu, X.G. *see* Liu, L.
Zhuang, W.-Q., Tay, J.-H., Maszenan, A.M., Krumholz, L.R. & Tay, S.T.-L. Importance of Gram-positive naphthalene-degrading bacteria in oil-contaminated tropical marine sediments, 251
Zlotkin, A. *see* Bachrach, G.

Index of Subjects

abattoir sources of psychrophilic clostridia, 406
acetic acid
  and hypochlorite solution, 46
  spoilage of wine, 307
Acetobacter pasteurianus, 307
acetoin, 399
α-acetolactate decarboxylase, 399
acidification of hypochlorite solution, 46
actinomycetes, 268, 387
adhesion
  inhibition in VTEC, 135
  of probiotics, 213, 327
aeration in *Paecilomyces sinclairii*, 321
Aeromonas spp. markers, 25
Agastache rugosa Kunze, 111
agglutination assay for TSST-1, 372
agitation in *Paecilomyces sinclairii*, 321
Alcaligenes xylosoxydans, 129
alfalfa seeds, 152
Alicyclobacillus acidoterrestris in fruit juice, 9
amino acids
  biosynthesis regulation, 399
  as carbon sources, 268
ammonium molybdate, 239
α-amylase and surfactants, 191
β-amylase production/characterization, 203
anaerobic fungus and phenolic monomers, 377
anaerobic oral pathogens, 101
animal enterococci identification, 245
animal fibres and detection of anthrax spores, 418
AnRP regulation of xylase gene, 59
anthocyanin, 337
anthrax spores, detection on animal fibres, 418
antibiotic resistance, 20
  Aeromonas spp., 25
  Campylobacter spp., 277
antibodies to TSST-1, 372
antimicrobial activity
  dairy propionibacteria, 327
  essential oils, 30, 35
  hypochlorite solution, 46
Apis mellifera, 20
Arthrobacter spp., 227, 272
artificial polypeptide expression, 121
Aspergillus spp., 177
  A. nidulans, 59
  A. niger, 302, 358
assimilable-nitrogen content, 54
atrazine-degrading bacteria, 272
atzA gene, 272
Bacillus spp. *B. anthracis*, 418
  B. naphthovorans, 251
  B. subtilis
    and acidic hypochlorite, 46
    controlling *Vibrio*, 83
    exopolysaccharide production, 282
    spore germination, 15
bacteria, soil, 349
bacterial enumeration, 197
bacterial viability in freeze-drying, 412
bactericidal activity, 46
bacteriophages
  in constructed wetlands, 362
  defence against, 332
  in greywater, 168
  oral, 50
Baselophus tragocamelus, 377
BBL Crystal Kit, 245
β–glucosidase synthesis, inducible, 15
biocontrol/biocontrol agents, 239
  actinomycetes, 387
  pseudomonads, 392
biodegradation
  cypermethrin, 173
  naphthalene, 251
biodiversity in wine fermentations, 54
biofilms, 88, 97
biomass profiles, 293
bioremediation, 272, 349
biotracers, evaluation of, 362
bird's nest fungus, 64
Blastoschizomyces capitatus, 111
bleaching, 387
'blown pack' spoilage, 406
Burkholderia spp., 77

C2BBe cell line, 213
calcofluor white M2R, 129
calmodulin and phospholipid biosynthesis, 382
Campylobacter spp.
  antibiotic resistance, 277
  C. jejuni reference isolates, 106
  in greywater, 168
  in pig slurry, 209
Candida albicans, 382
carbon sources, 268
  and biocontrol, 392
Carnobacterium divergens, 288
CCAAT, 358
cgxA gene, 59

Chaetomium gracile, 59
charcoal rot fungus, 392
cheese, Mozzarella, and *E. coli*, 73
chitinase overproducers, screening for, 129
chrome azurol S (CAS) agar plate assay, 177
1,8-cineole, 35
citric acid
  and Oenococcus oeni, 337
  production, 302
clonal complexes of *Campylobacter jejuni*, 106
Clostridium spp.
  'blown pack' meat spoilage, 406
  C. botulinum spore germination, 41
coliform enumeration, 197
colistin resistance, induced, 25
colony counting, 293
colourimetric assay, 30
culture media volume for citric acid productivity, 302
Cyathus bulleri, 64
cypermethrin biodegradation, 173

degradation
  atrazine, 272
  phorate, 349
  2,4,6-trichlorophenol, 315
  see also biodegradation
denaturing gradient gel electrophoresis (DGGE), 145
2,6-dibromophenol, 9
2,6-dichlorophenol, 9
digoxigenin-labelled PNA probes, 145
dihydropyoverdine production, 259
dioxygenase-catalyzed dyestuff formation, 343
disinfectant taint, 9
duodenal ulcer patients, 222
dyestuff production, 343

effluent retention time, 362
electron sink reactions, 354
endodontic treatment, 50
endospores as biotracers, 362
enrichment, 217
Enterococcus spp.
  E. faecium, *vanB2*-containing, 186
  in greywater, 168
  identification, 245
Escherichia coli
  E. coli O157:H7, 73, 162
  in molluscan shellfish, 92
  sublethally-injured cells, 140
  VTEC, 135

essential oils
  antibacterial activity, 162
  antifungal activity, 111
  antimicrobial activity, 30, 35
estuarine bacteria, 150
ethidium bromide stimulated laccase production, 64
exopolysaccharide production, 282, 321

faecal pathogens, 209
fatty acid metabolism, 182
fermentation, stirred, 302
fish
  shellfish, 83, 92, 423
  smoked, 230, 288
flow cytometry, 412
fluorescent pseudomonads, 239, 259, 392
foulbrood, European, 20
four culture method for bacterial enumeration, 197
freeze-drying, viability in, 412
FRNA in shellfish, 92
fruit juice, 9
fungal volatile metabolites, 263

gene expression, heterologous, in *A. niger*, 358
Geobacillus thermoleovorans, 191
ginger soft rot, 116, 157
*gln*B genes, 77
glucoamylase promoter, 358
β–glucosidase synthesis, inducible, 15
glyA gene, 358
Gram-negative enumeration, 197
Gram-positive naphthalene-degrading bacteria, 251
greywater systems, microorganisms in, 168
groundwater fouling organisms, 88
growth inhibition of *L. monocytogenes*, 288

halophenols, 9
Helicobacter pylori, 222
herbicidal activity of methoxyhygromycin, 387
hydrolytic enzymes, 377
poly-β-hydroxyalkanoates consumption, 315
hypochlorite solution, acidic, 46

IfA/IgG antibody induction, 135
immunization, oral, 135
indicator agars, 152
indole derivatives, 343
industrial wastewater, 272
insertion sequence, novel, 186

intestinal adhesion of probiotics, 213
isolation media
  for *Listeria*, 230
  for *Vibrio*, 150

keratin adhesion, 327
ketoconazole, 111

laccase production, ethidium bromide stimulated, 64
lactic acid bacteria, 399
Lactobacillus lactis, 332
Lactobacillus-specific PNA probes, 145
Legionella pneumophila control by Ag/Zn ions, 69
leucine biosynthesis, 399
linalool, 35
γ-linoleic acid production, 182
liposomes, 135
Listeria monocytogenes, 230
  inhibition by divercin V41, 288
*Lla*AI R/M system, 332

Macrophomina phaseolina, 392
male-specific RNA bacteriophage in shellfish, 92
malolactic fermentation, 337
markers *see* biotracers
Mellissococcus plutonis, 20
Meloidogyne javanica, 239
mesophilic microbial load, 197
methane oxidation in the rumen, 354
methoxyhygromycin, 387
microbial granules, 293
Micrococcus spp., 251
micro-emulsions as anti-biofilm agents, 97
Micromonospora echinospora, 268
microscopic colony counting, 293
molasses fermentation, 302
molecular fingerprinting of *H. pylori*, 222
molluscan shellfish contamination, 92
Mortierella isabellina, 182
Mozzarella cheese and *E. coli*, 73
multi-resistance, 277
mycelia, disrupted, 182
mycelial biomass, 321
Mycobacterium paratuberculosis, 293

naphthalene dioxygenase, 343
naphthalene-degrading bacteria, 251
*nif*H genes, 77
nikkomycin biosynthesis, 234
nil gai, 377
nitrate reductions, 354
nitrogen-fixing bacteria, 77

Oenococcus oeni, 337
oospore detection, 157
oral anaerobic pathogens, 101
oral bacteriophages, 50
oregano essential oil, 162
oxytetracycline resistance, 20

Paecilomyces sinclairii, 321
pathogens
  anaerobic oral, 101
  faecal, in pig slurry, 209
see also specific organisms
PCR
  *gln*B and *nif*H genes, 77
  lactobacilli, 145
  multiplex, *Bacillus*, 418
  oral anaerobe, 101
  Pythium myriotylum, 116, 157
  RAPD, 222
  Salmonella, 152, 217
  Vibrio, 423
PCR-ELISA assay for *Toxoplasma gondii*, 30
Penaeus monodon, 83
Penicillium roqueforti, 263
peptide nucleic acid (PNA) probes, 145
periodontal disease, 101
Phaffia rhodozyma, 203
phages *see* bacteriophages
phenolic compounds and *Oenococcus oeni*, 337
phenolic monomers, 377
phorate-degrading soil bacteria, 349
phospholipid biosynthesis in *C. albicans*, 382
pig slurry, 209
Piromyces spp., 377
poly-β-hydroxyalkanoates consumption, 315
polyethylene glycols (PEGs), 191
polymerase chain reaction *see* PCR
polypeptide expression in *Saccharomyces cerevisiae*, 121
polysaccharide production, extracellular *see*
  exopolysaccharide production
polystyrene beads, 30
porosity profiles in microbial granules, 293
poultry
  antibiotic resistance, 277
  Salmonella detection, 217
probiotics
  for black tiger shrimp, 83
  intestinal adhesion, 213
  for the skin, 327
propionibacteria, dairy, 213, 327
proteinase, bacterial, 227

proteolytic *Arthrobacter*, 227
proteolytic *Clostridium* spore germination, 41
Pseudomonas spp.
  biocontrol, 392
  P. fluorescens biocontrol, 239
  pyoverdine production, 259
pulsed electrical fields, 140
pyoverdine production, 259
pyrethroid, synthetic, 173
Pythium myriotylum, 116, 157

RAPD-PCR, 222
rapid bacterial enumeration method, 197
rapid counting of *M. paratuberculosis*, 293
reduction of microorganisms in greywater, 168
reference isolates for *Campylobacter jejuni*, 106
repeated tripeptide, 121
restriction/modification system, 332
reverse passive agglutination assay, 372
root-knot nematode, 239
ruminal fluid, methane oxidation in, 354

Saccharomyces cerevisiae
  biodiversity in wine fermentations, 54
  polypeptide expression, 121
saliva, bacteriophages in, 50
salmon, cold-smoked, 288
Salmonella spp.
  detection in seeds, 152
  detection procedures, 217
  in greywater, 168
  in pig slurry, 209
sampling techniques for oral anaerobes, 101
sanC gene, 234
screening method for chitinase overproducers, 129
selective isolation, 230
sheep dip, 173
shellfish contamination, 92, 423
shrimp black gill disease, 83
siderophore production, 259, 349
  assay method, 177
silver/zinc control of *Legionella*, 69
smoked fish
  Listeria from, 230
  salmon, cold-smoked, 288
sodium hypochlorite, 46
soft rot of ginger, 116, 157
soil remediation, 349
solid phase microextraction (SPME), 263
Sphingopyxis chilensis, 315
spiral plating, 293

spoilage
  fruit juice, disinfectant taint in, 9
  meat, 406
  red wine, acetic acid bacteria in, 307
  see also fish
spores
  as biotracers, 362
  detection, 157, 418
  germination, 15, 41
sporicidal activity of hypochlorite, 46
Staphylococcus spp., 251
  S. aureus, 372
starvation, 315
Streptococcus thermophilus, 399
Streptomyces spp., 387
  S. ansochromogenes, 234
sublethally-injured cells, 140
sulphate reductions, 354
surfactants and α-amylase, 191
synergism, 111

2,4,6-TCP degradation, 315
tdh gene, 423
thiosulphate–chloride–iodide agar, 150
thiosulphate–citrate–bile salts–sucrose agar, 150
Thiothrix unzii identification, 88
Thymus essential oil, 35, 162
toluene dioxygenase, 343
Toxic Shock Syndrome Toxin-1 (TSST-1), 372
Toxoplasma gondii assay, 30
transposases, 186
trh gene, 423
2,4,6-trichlorophenol degradation, 315
triple therapy, 222

valine biosynthesis, 399
vanB2 gene, 186
viability of freeze-dried cells, 412
Vibrio spp.
  control by B. subtilis, 83
  isolation media, 150
  V. parahaemolyticus, 423
volatile compound profiling with SPME, 263
VTEC adhesion inhibition, 135

wastewater
  greywater systems, 168
  industrial, 272
  microbial granule treatment, 293
wetlands, constructed, 362

wine
  aging, 337
  bottled, spoilage of, 307
  fermentations, spontaneous, 54
W-7, 382

Xanthophyllomyces dendrorhous, 203
xylanase gene, AnRP regulation of, 59

yeast cell wall lytic bacteria, 227

zeolite ceramic Ag/Zn coatings, 69
zinc/silver control of *Legionella*, 69
Zingiber officianale, 116